



Energy & Water
International FZE

Ref. :
Date :
Encl. :

PART NO. 4

COMMERCIAL INVOICE

INVOICE NO.	HHX24092019-E326-FLANGE	INVOICE DATE	08.04.2020
E&G Ref.	#050- Adish- Type B	DATE	27-Aug-2020
CONSIGNEE	BANK OF INDUSTRY AND MINE, TEHRAN, IRAN	NOTIFY PARTY	SOUTHERN ADISH GAS CONDENSATE REFINERY COMPANY, NO. 44, KARANEH ST., VALIASR ST. PO. BOX 1966844 11 3, TEHRAN / IRAN TEL: +982 1-26216035, FAX: +9821 26216034
P/I NO.	ADISH-006, DATED 2018-03-04	L/C NO.	TMB/96109363
REGISTRATION NO.	44142357	IRANIAN CUSTOMS TARIFF NO.	84196000
INSURANCE AND POLICY NO.	INSURANCE EFFECTED IN IRAN BY BIMEH NOVIN FAX NO. +02122258049-52, POLICY NO. 96/02/99/8055/2006744		
PACKING MODE	CONTAINER	PORT OF DELIVERY	PARS SPECIAL ENERGY AND ECONOMIC ZONE, PERSIAN GULF, IRAN
ITEM NO. AS PER MASTER LC	ITEM 16: SHELL TUBE	NO. OF PACKAGES	6 PKGS
COUNTRY OF ORIGIN	CHINA	NET/GROSS WEIGHT	5,625.21 KG / 5,745.21 KG

ITEM 16: SHELL TUBE

ITEM NO.	DESCRIPTION OF GOODS				QTY (SHEET)	NET WEIGHT(KG)	UNIT PRICE (EURO/KG)	TOTAL PRICE (EURO)	PL Row No.	pallet No.
E326-MR-105										
1	Flange	SA105N	3/4 Inch ,Rating 300,Length150mm ,R.F. L.W.N.		4	11.08	24.01	96.04	2	#1
2	Flange	SA105N	3/4 Inch ,Rating 300,Length160mm ,R.F. L.W.N.		1	2.89	25.05	25.05	3	#1
3	Flange	SA105N	3/4 Inch ,Rating 300,Length180mm ,R.F. L.W.N.		6	18.78	27.13	162.78	4	#1
4	Flange	SA105N	3/4 Inch ,Rating 300,Length185mm ,R.F. L.W.N.		4	12.76	27.65	110.60	5	#1
5	Flange	SA105N	3/4 Inch ,Rating 300,Length190mm ,R.F. L.W.N.		2	6.50	28.17	56.34	6	#1
6	Flange	SA105N	3/4 Inch ,Rating 300,Length205mm ,R.F. L.W.N.		2	6.86	29.73	59.46	7	#1
7	Flange	SA105N	1 Inch ,Rating 300,Length245mm ,R.F. L.W.N.		2	9.40	39.17	78.34	8	#1
8	Flange	SA105N	4 Inch ,Rating 150,R.F. Sch 120,W.N.		2	16.60	20.06	40.12	61	#46
9	Flange	SA105N	6 Inch ,Rating 300,R.F. Sch 120,W.N.		4	92.00	55.58	222.32	62	#46
10	Flange	SA105N	8 Inch ,Rating 300,R.F. Sch 100,W.N.		4	136.80	82.65	330.60	63	#46
11	Flange	SA105N	10 Inch ,Rating 300,R.F. Sch 80,W.N.		2	96.00	116.00	232.00	51	#45
12	Flange	SA105N+NACE MR0175/ISO15156 HIC&SSC RESISTANT	3/4 Inch ,Rating 150,Length180mm ,R.F. L.W.N.		1	1.83	19.83	19.83	9	#1
13	Flange	SA105N+NACE MR0175/ISO15156 HIC&SSC RESISTANT	3/4 Inch ,Rating 300,Length165mm ,R.F. L.W.N.		2	5.90	31.96	63.92	10	#1
14	Flange	SA105N+NACE MR0175/ISO15156 HIC&SSC RESISTANT	3/4 Inch ,Rating 300,Length180mm ,R.F. L.W.N.		1	3.13	33.91	33.91	11	#1
15	Flange	SA105N+NACE MR0175/ISO15156 HIC&SSC RESISTANT	1 Inch ,Rating 150,Length175mm ,R.F. L.W.N.		2	5.42	29.36	58.72	12	#1
16	Flange	SA105N+NACE MR0175/ISO15156 HIC&SSC RESISTANT	1 Inch ,Rating 300,Length235mm ,R.F. L.W.N.		2	9.12	49.40	98.80	13	#1

Tel: +971 (04) 881 76 45
Fax: +971 (04) 881 76 51
info@energywaterintl.com

P.O.BOX: 61151
Jebel Ali Free Zone
Dubai U.A.E



ITEM 16: SHELL TUBE										
Energy & Water International PZC										
ITEM NO.	DESCRIPTION OF GOODS				QTY (SHEET)	NET WEIGHT(KG)	UNIT PRICE (EURO/KG)	TOTAL PRICE (EURO)	PL Row No.	pallet No.
17	Flange	SA105N+NACE MR0175/ISO15156 HIC&SSC RESISTANT	1 1/2 Inch ,Rating 300,Length180mm ,R.F. L.W.N.		2	12.22	61.10	122.20	14	#1
18	Flange	SA105N+NACE MR0175/ISO15156 HIC&SSC RESISTANT	3 Inch ,Rating 300,R.F. Sch XXS,W.N.		2	17.26	33.08	66.16	64	#46
19	Flange	SA105N+NACE MR0175/ISO15156 HIC&SSC RESISTANT	8 Inch ,Rating 150,R.F. Sch 100,W.N.		2	42.80	82.03	164.06	65	#46
E326-MR-106										
1	Flange	SA-105N	3/4 Inch ,Rating 300,R.F. BLIND		19	22.04	5.03	95.57	92	#48
2	Flange	SA-105N	1 1/2 Inch ,Rating 300,R.F. BLIND		20	53.60	9.83	196.60	66	#46
3	Flange	SA105N+NACE MR0175/ISO15156 HIC&SSC RESISTANT	3/4 Inch ,Rating 150,R.F. BL		1	0.63	4.52	4.52	93	#48
4	Flange	SA105N+NACE MR0175/ISO15156 HIC&SSC RESISTANT	3/4 Inch ,Rating 300,R.F. BLIND		3	3.48	6.19	18.57	94	#48
5	Flange	SA105N+NACE MR0175/ISO15156 HIC&SSC RESISTANT	1 Inch ,Rating 150,R.F. BLIND		2	1.88	4.70	9.40	95	#48
6	Flange	SA105N+NACE MR0175/ISO15156 HIC&SSC RESISTANT	1 Inch ,Rating 300,R.F. BLIND		2	2.84	7.10	14.20	96	#48
7	Flange	SA105N+NACE MR0175/ISO15156 HIC&SSC RESISTANT	1 1/2 Inch ,Rating 300,R.F. BL		2	5.36	16.84	33.68	67	#46
E326-MR-209										
1	Flange	SA-105N	3/4 Inch ,Rating 300,Length 200mm ,R.F. L.W.N.		2	6.74	29.21	58.42	15	#1
2	Flange	SA-105N	3/4 Inch ,Rating 300,Length 190mm ,R.F. L.W.N.		18	58.50	28.17	507.06	16	#1
3	Flange	SA-105N	3/4 Inch ,Rating 300,Length 165mm ,R.F. L.W.N.		2	5.90	25.57	51.14	17	#1
4	Flange	SA-105N	3/4 Inch ,Rating 300,Length 135mm ,R.F. L.W.N.		2	5.18	22.45	44.90	18	#1
5	Flange	SA-105N	3/4 Inch ,Rating 150,Length 165mm ,R.F. L.W.N.		2	3.46	14.99	29.98	19	#1
6	Flange	SA-105N	3/4 Inch ,Rating 150,Length 135mm ,R.F. L.W.N.		2	3.06	13.26	26.52	20	#1
7	Flange	SA-105N	1 Inch ,Rating 300,R.F. Sch XXS,W.N.		4	7.32	4.88	19.52	68	#46
8	Flange	SA-105N	1 Inch ,Rating 150,Length 210mm ,R.F. L.W.N.		4	12.68	35.56	142.24	21	#1
9	Flange	SA-105N	1 1/2 Inch ,Rating 300,Length 190mm ,R.F. L.W.N.		20	126.40	47.40	948.00	22	#1
10	Flange	SA-105N	1 1/2 Inch ,Rating 300,Length 165mm ,R.F. L.W.N.		2	11.58	43.43	86.86	23	#1
11	Flange	SA-105N	1 1/2 Inch ,Rating 300,Length 135mm ,R.F. L.W.N.		4	20.60	38.63	154.52	24	#1
12	Flange	SA-105N	3 Inch ,Rating 150,R.F. Sch 160,W.N.		2	12.00	14.50	29.00	69	#46
13	Flange	SA-105N	4 Inch ,Rating 150,R.F. Sch 120,W.N.		2	17.64	21.32	42.64	70	#46
14	Flange	SA-105N	6 Inch ,Rating 150,R.F. Sch 80,W.N.		4	50.40	30.45	121.80	71	#46
15	Flange	SA-105N	10 Inch ,Rating 300,R.F. Sch 60,W.N.		24	1,111.20	111.89	2,685.36	50	#44
16	Flange	SA-105N	10 Inch ,Rating 150,R.F. Sch 60,W.N.		4	114.80	69.36	277.44	52	#45
17	Flange	SA-105N	12 Inch ,Rating 300,R.F. Sch 80,W.N.		2	144.00	174.00	348.00	53	#45
18	Flange	SA105N+NACE MR0175/ISO15156 HIC&SSC RESISTANT	14 Inch ,Rating 300,R.F. Thk. 18,W.N.		2	202.50	388.13	776.26	48	#43
19	Flange	SA105N+NACE MR0175/ISO15156 HIC&SSC RESISTANT	1 1/2 Inch ,Rating 300,Length 185mm ,R.F. L.W.N.		2	12.42	62.10	124.20	25	#1
20	Flange	SA105N+NACE MR0175/ISO15156 HIC&SSC RESISTANT	1 Inch ,Rating 300,Length 240mm ,R.F. L.W.N.		2	9.26	50.16	100.32	26	#1
21	Flange	SA105N+NACE MR0175/ISO15156 HIC&SSC RESISTANT	3/4 Inch ,Rating 300,Length 185mm ,R.F. L.W.N.		2	6.38	34.56	69.12	27	#1
E326-MR-210										
1	Flange	SA-105N	3/4 Inch ,Rating 300,R.F. BLIND		24	27.84	5.03	120.72	97	#48
2	Flange	SA-105N	1 Inch ,Rating 300,R.F. BLIND		12	17.04	5.68	68.16	98	#48
3	Flange	SA-105N	1 Inch ,Rating 150,R.F. BLIND		6	5.64	3.76	22.56	99	#48
4	Flange	SA-105N	1 1/2 Inch ,Rating 300,R.F. BLIND		28	75.04	9.83	275.24	72	#46
5	Flange	SA-105N+NACE MR0175/ISO15156 HIC &SSC RESISTANT	3/4 Inch ,Rating 300,R.F. BLIND		2	2.32	8.33	16.66	100	#48
6	Flange	SA-105N+NACE MR0175/ISO15156 HIC &SSC RESISTANT	1 Inch ,Rating 300,R.F. BLIND		2	2.84	9.56	19.12	101	#48
7	Flange	SA105N+NACE MR0175/ISO15156 HIC&SSC RESISTANT	1 1/2 Inch ,Rating 300,R.F. BLIND		2	5.36	12.51	25.02	73	#46

Tel: +971 (04) 881 76 45 | P.O.BOX: 61151
 Fax: +971 (04) 881 76 51 | Jebel Ali Free Zone
 info@energywaterintl.com | Dubai U.A.E





Energy & Water
International PZC

ITEM 16: SHELL TUBE				Ref. : Date : Page :					
ITEM NO.	DESCRIPTION OF GOODS			QTY (SHEET)	NET WEIGHT(KG)	UNIT PRICE (EURO/KG)	TOTAL PRICE (EURO)	PL Row No.	pallet No.
E326-MR-313									
1	Flange	SA-105N	3/4 Inch ,Rating 300,Length 150mm ,R.F. L.W.N	2	5.54	24.01	48.02	28	#1
2	Flange	SA-105N	3/4 Inch ,Rating 300,Length 180mm ,R.F. L.W.N	8	25.04	27.13	217.04	29	#1
3	Flange	SA-105N	3/4 Inch ,Rating 300,Length 190mm ,R.F. L.W.N	10	32.50	28.17	281.70	30	#1
4	Flange	SA-105N	3/4 Inch ,Rating 300,Length 225mm ,R.F. L.W.N	6	22.02	31.81	190.86	31	#1
5	Flange	SA-105N	3/4 Inch ,Rating 300,Length 230mm ,R.F. L.W.N	2	7.46	32.33	64.66	32	#1
6	Flange	SA-105N	1 Inch ,Rating 300,Length 215mm ,R.F. L.W.N	3	12.84	48.01	144.03	33	#1
7	Flange	SA-105N	1 Inch ,Rating 300,Length 235mm ,R.F. L.W.N	2	9.12	38.00	76.00	34	#1
8	Flange	SA-105N	1 1/2 Inch ,Rating 300,Length 155mm ,R.F. L.W	2	11.14	56.24	112.48	35	#1
9	Flange	SA-105N	1 1/2 Inch ,Rating 300,Length 180mm ,R.F. L.W	1	6.11	61.69	61.69	36	#1
10	Flange	SA-105N	1 1/2 Inch ,Rating 300,Length 190mm ,R.F. L.W	4	25.28	63.81	255.24	37	#1
11	Flange	SA-105N	1 1/2 Inch ,Rating 300,Length 225mm ,R.F. L.W	4	28.24	52.95	211.80	1	#1
12	Flange	SA-105N	3 Inch ,Rating 300,R.F. Sch 160,W.N.	2	16.40	19.82	39.64	57	#46
13	Flange	SA-105N	4 Inch ,Rating 300,R.F. Sch 120,W.N.	2	26.08	31.51	63.02	58	#46
14	Flange	SA-105N	8 Inch ,Rating 300,R.F. Sch 80,W.N.	2	66.00	79.75	159.50	59	#46
15	Flange	SA-105N	8 Inch ,Rating 300,R.F. Sch 100,W.N.	2	68.40	82.65	165.30	60	#46
16	Flange	SA-105N	10 Inch ,Rating 300,R.F. Sch 60,W.N.	10	463.00	111.89	1,118.90	54	#45
17	Flange	SA-105N	10 Inch ,Rating 300,R.F. Sch 100,W.N.	2	100.40	121.32	242.64	55	#45
18	Flange	SA-105N	12 Inch ,Rating 300,R.F. Sch 60,W.N.	4	276.00	166.75	667.00	46	#43
19	Flange	SA-105N	14 Inch ,Rating 300,R.F. Thk.14,W.N.	4	386.72	233.64	934.56	47	#43
20	Flange	SA105N+NACE MR0175/ISO15156 HIC&SSC RESISTANT	3/4 Inch ,Rating 300,Length 185mm ,R.F. L.W.N	2	6.38	34.56	69.12	27	#1
21	Flange	SA105N+NACE MR0175/ISO15156 HIC&SSC RESISTANT	3/4 Inch ,Rating 300,Length 200mm ,R.F. L.W.N	2	6.74	36.51	73.02	39	#1
22	Flange	SA-105N+NACE MR0175/ISO15156 HIC &SSC RESISTANT	1 Inch ,Rating 300,Length 200mm ,R.F. L.W.N.	4	16.28	59.35	237.40	40	#1
23	Flange	SA105N+NACE MR0175/ISO15156 HIC&SSC RESISTANT	1 1/2 Inch ,Rating 300,Length 185mm ,R.F. L.W	2	12.42	62.10	124.20	25	#1
24	Flange	SA105N+NACE MR0175/ISO15156 HIC&SSC RESISTANT	1 1/2 Inch ,Rating 300,Length 200mm ,R.F. L.W	2	13.06	65.30	130.60	41	#1
25	Flange	SA105N+NACE MR0175/ISO15156 HIC&SSC RESISTANT	10 Inch ,Rating 300,R.F. Sch 120,W.N.	2	104.52	200.33	400.66	56	#45
26	Flange	SA105N+NACE MR0175/ISO15156 HIC&SSC RESISTANT	14 Inch ,Rating 300,R.F. Thk.18,W.N.	2	202.50	388.13	776.26	48	#43
E326-MR-315									
1	Flange	SA-105N	3/4 Inch ,Rating 300,R.F. BLIND	28	32.48	5.03	140.84	102	#48
2	Flange	SA-105N	1 1/2 Inch ,Rating 300,R.F. BLIND	26	69.68	9.83	255.58	74	#46
3	Flange	SA-105N+NACE MR0175/ISO15156 HIC &SSC RESISTANT	3/4 Inch ,Rating 300,R.F. BL	4	4.64	8.33	33.32	103	#48
4	Flange	SA-105N+NACE MR0175/ISO15156 HIC &SSC RESISTANT	1 Inch ,Rating 300,R.F. BL	4	5.68	9.56	38.24	104	#48
5	Flange	SA-105N+NACE MR0175/ISO15156 HIC &SSC RESISTANT	1 1/2 Inch ,Rating 300,R.F. BL	4	10.72	16.84	67.36	75	#46
E326-MR-314									
1	Flange	SA-182 GR.F5	3/4" CL300 LWNRF L=235	1	3.79	53.69	53.69	42	#1
2	Flange	SA-182 GR.F5	1" CL300 LWNRF L=265	2	9.96	70.55	141.10	43	#1
3	Flange	SA-182 GR.F5	1 1/2" CL300 LWNRF L=240	1	7.38	104.55	104.55	44	#1
4	Flange	SA-182 GR.F5	6" CL300 WNR S120	2	46.00	130.33	260.66	76	#46
E326-MR-316									
1	Flange	SA-182 GR.F5	3/4" 300# BLRF	1	1.10	9.67	9.67	77	#46
2	Flange	SA-182 GR.F5	1" 300# BLRF	2	2.80	11.83	23.66	105	#48

Tel: +971 (04) 881 76 45
Fax: +971 (04) 881 76 51
info@energywaterintl.com

P.O.BOX: 61151
Jebel Ali Free Zone
Dubai U.A.E



ITEM 16: SHELL TUBE										
Energy & Water International FZE										
ITEM NO.	DESCRIPTION OF GOODS				QTY (SHEET)	NET WEIGHT(KG)	UNIT PRICE (EURO/KG)	TOTAL PRICE (EURO)	PL Row No.	pallet No.
3	Flange	SA-182 GR.F5	1 1/2" 300# BLRF		1	2.73	22.33	22.33	106	#48
E326-MR-414										
1	Forged Ring	SA266 Gr.2N	Φ455*Φ304.8*86		1	40.33	97.46	97.46	78	#48
2	Forged Ring	SA-350 LF2 CL.1N	Φ455*Φ304.8*86		1	40.33	97.46	97.46	79	#48
3	Forged Ring	SA266 Gr.2N	Φ320*Φ156*51.6		2	49.70	60.05	120.10	80	#48
4	Forged Ring	SA266 Gr.2N	Φ320*ID185*33.6		2	28.26	34.15	68.30	81	#48
5	Forged Ring	SA 105N	Φ238*105		2	13.56	16.41	32.82	82	#48
6	Forged Ring	SA-350 LF2 CL.1N+HIC&SSC+NACE MR0175/ISO 15156	Φ330*Φ209*64		2	46.94	86.06	172.12	83	#48
7	Forged Ring	SA-350 LF2 CL.1N+HIC&SSC+NACE MR0175/ISO 15156	Φ330*Φ198.48*71		2	38.96	71.43	142.86	84	#48
8	Forged Ring	SA266 Gr.2N	Φ220*Φ66.64*76		2	26.74	32.30	64.60	85	#48
9	Forged Ring	SA266 Gr.2N	Φ550*Φ400*86		1	52.62	127.17	127.17	86	#48
10	Forged Ring	SA266 Gr.2N	Φ580*Φ440*84		2	100.06	120.91	241.82	87	#48
11	Forged Ring	SA266 Gr.2N	Φ580*Φ440*84		2	100.06	120.91	241.82	88	#48
12	Forged Ring	SA266 Gr.2N	Φ580*Φ440*91		2	111.22	134.39	268.78	89	#48
13	Forged Ring	SA266 Gr.2N	Φ520*Φ401*53		2	68.84	83.18	166.36	90	#48
14	Forged Ring	SA266 Gr.2N	Φ527*Φ401		2	85.14	102.88	205.76	91	#48
SUBTOTAL AMOUNT (FOB)						19,668.34				
FREIGHT CHARGE						1,713.00				
SUBTOTAL AMOUNT (CFR)						21,381.34				
DEDUCTIONS:										
ADVANCED PAYMENT (25%)						5,345.34				
RETENTION (10%)						2,138.13				
SUBTOTAL PAYABLE AMOUNT (65%)						13,897.87				

Energy & Water International FZE



Tel: +971 (04) 881 76 45 | P.O.BOX: 61151
 Fax: +971 (04) 881 76 51 | Jebel Ali Free Zone
 info@energywaterintl.com | Dubai U.A.E

PACKING LIST
PART NO. 4

PACKING LIST		FGS-PKL-20024			PACKING LIST DATE	27-Aug-2020			
CONSIGNEE		BANK OF INDUSTRY AND MINE, TEHRAN, IRAN			NOTIFY PARTY	SOUTHERN ADISH GAS CONDENSATE REFINERY COMPANY, NO. 44, KARANEH ST., VALIASR ST. PO. BOX 1966844 11 3, TEHRAN / IRAN TEL: +982 1-26216035, FAX: +9821			
P/I NO.		ADISH-006, DATED 2018-03-04			L/C NO.	TMB/96109363			
REGISTRATION NO.		44142357			IRANIAN CUSTOM TARIFF NO.	84196000			
INSURANCE POLICY NO.		INSURANCE EFFECTED IN IRAN BY BIME NOVIN FAX NO.: +02122258049-52, POLICY NO. 96/02/99/8055/2006744							
PACKING MODE		CONTAINER			PORT OF DELIVERY	PARS SPECIAL ENERGY AND ECONOMIC ZONE, PERSIAN GULF, IRAN			
ITEM NO. AS PER MASTER LC		ITEM 16: SHELL TUBE			NO. OF PACKAGES	6 PKGS			
COUNTRY OF ORIGIN		CHINA			NET/GROSS WEIGHT	5,625.21 KG /5,745.21 KG			
ITEM 16: SHELL TUBE									
Item	PRO.NO	Description	Standard/ Grade	Specification	Order Qty		BOX NO.	Gross Weight	Volume
					PCS	kg			
1	E326-MR-313	FLANGE	SA-105N	1 1/2 Inch ,Rating 300,Length 225mm ,R.F. L.W.N.	4	28.24	#1		
2	E326-MR-105	FLANGE	SA105N	3/4 Inch ,Rating 300,Length150mm ,R.F. L.W.N.	4	11.08	#1		
3	E326-MR-105	FLANGE	SA105N	3/4 Inch ,Rating 300,Length160mm ,R.F. L.W.N.	1	2.89	#1		
4	E326-MR-105	FLANGE	SA105N	3/4 Inch ,Rating 300,Length180mm ,R.F. L.W.N.	6	18.78	#1		
5	E326-MR-105	FLANGE	SA105N	3/4 Inch ,Rating 300,Length185mm ,R.F. L.W.N.	4	12.76	#1		
6	E326-MR-105	FLANGE	SA105N	3/4 Inch ,Rating 300,Length190mm ,R.F. L.W.N.	2	6.50	#1		
7	E326-MR-105	FLANGE	SA105N	3/4 Inch ,Rating 300,Length205mm ,R.F. L.W.N.	2	6.86	#1		
8	E326-MR-105	FLANGE	SA105N	1 Inch ,Rating 300,Length245mm ,R.F. L.W.N.	2	9.40	#1		
9	E326-MR-105	FLANGE	SA105N+FACE MR0175ASO15156 HICASSC RESISTANT	3/4 Inch ,Rating 150,Length180mm ,R.F. L.W.N.	1	1.83	#1		
10	E326-MR-105	FLANGE	SA105N+FACE MR0175ASO15156 HICASSC RESISTANT	3/4 Inch ,Rating 300,Length165mm ,R.F. L.W.N.	2	5.90	#1		
11	E326-MR-105	FLANGE	SA105N+FACE MR0175ASO15156 HICASSC RESISTANT	3/4 Inch ,Rating 300,Length180mm ,R.F. L.W.N.	1	3.13	#1		
12	E326-MR-105	FLANGE	SA105N+FACE MR0175ASO15156 HICASSC RESISTANT	1 Inch ,Rating 150,Length175mm ,R.F. L.W.N.	2	5.42	#1		
13	E326-MR-105	FLANGE	SA105N+FACE MR0175ASO15156 HICASSC RESISTANT	1 Inch ,Rating 300,Length235mm ,R.F. L.W.N.	2	9.12	#1		
14	E326-MR-105	FLANGE	SA105N+FACE MR0175ASO15156 HICASSC RESISTANT	1 1/2 Inch ,Rating 300,Length180mm ,R.F. L.W.N.	2	12.22	#1		
15	E326-MR-209	FLANGE	SA-105N	3/4 Inch ,Rating 300,Length 200mm ,R.F. L.W.N.	2	6.74	#1		
16	E326-MR-209	FLANGE	SA-105N	3/4 Inch ,Rating 300,Length 190mm ,R.F. L.W.N.	18	58.50	#1		
17	E326-MR-209	FLANGE	SA-105N	3/4 Inch ,Rating 300,Length 165mm ,R.F. L.W.N.	2	5.90	#1		
18	E326-MR-209	FLANGE	SA-105N	3/4 Inch ,Rating 300,Length 135mm ,R.F. L.W.N.	2	5.18	#1		
19	E326-MR-209	FLANGE	SA-105N	3/4 Inch ,Rating 150,Length 165mm ,R.F. L.W.N.	2	3.46	#1		
20	E326-MR-209	FLANGE	SA-105N	3/4 Inch ,Rating 150,Length 135mm ,R.F. L.W.N.	2	3.06	#1		
21	E326-MR-209	FLANGE	SA-105N	1 Inch ,Rating 150,Length 210mm ,R.F. L.W.N.	4	12.68	#1		
22	E326-MR-209	FLANGE	SA-105N	1 1/2 Inch ,Rating 300,Length 190mm ,R.F. L.W.N.	20	126.40	#1		
23	E326-MR-209	FLANGE	SA-105N	1 1/2 Inch ,Rating 300,Length 165mm ,R.F. L.W.N.	2	11.58	#1		
24	E326-MR-209	FLANGE	SA-105N	1 1/2 Inch ,Rating 300,Length 135mm ,R.F. L.W.N.	4	20.60	#1	669.35	0.687
25	E326-MR-209	FLANGE	SA105N+FACE MR0175ASO15156 HICASSC RESISTANT	1 1/2 Inch ,Rating 300,Length 185mm ,R.F. L.W.N.	2	12.42	#1		
26	E326-MR-209	FLANGE	SA105N+FACE MR0175ASO15156 HICASSC RESISTANT	1 Inch ,Rating 300,Length 240mm ,R.F. L.W.N.	2	9.26	#1		

ITEM 16: SHELL TUBE

Item	PRO.NO	Description	Standard/ Grade	Specification	Order Qty		BOX NO.	Gross Weight	Volume
					PCS	kg			
27	E326-MR-209	FLANGE	SA105N+HACE MR0175ASO151556 HIC&SSC RESISTANT	3/4 Inch ,Rating 300,Length 185mm ,R.F. L.W.N.	2	6.38	#1		
28	E326-MR-313	FLANGE	SA-105N	3/4 Inch ,Rating 300,Length 150mm ,R.F. L.W.N.	2	5.54	#1		
29	E326-MR-313	FLANGE	SA-105N	3/4 Inch ,Rating 300,Length 180mm ,R.F. L.W.N.	8	25.04	#1		
30	E326-MR-313	FLANGE	SA-105N	3/4 Inch ,Rating 300,Length 190mm ,R.F. L.W.N.	10	32.50	#1		
31	E326-MR-313	FLANGE	SA-105N	3/4 Inch ,Rating 300,Length 225mm ,R.F. L.W.N.	6	22.02	#1		
32	E326-MR-313	FLANGE	SA-105N	3/4 Inch ,Rating 300,Length 230mm ,R.F. L.W.N.	2	7.46	#1		
33	E326-MR-313	FLANGE	SA-105N	1 Inch ,Rating 300,Length 215mm ,R.F. L.W.N.	3	12.84	#1		
34	E326-MR-313	FLANGE	SA-105N	1 Inch ,Rating 300,Length 235mm ,R.F. L.W.N.	2	9.12	#1		
35	E326-MR-313	FLANGE	SA-105N	1 1/2 Inch ,Rating 300,Length 155mm ,R.F. L.W.N.	2	11.14	#1		
36	E326-MR-313	FLANGE	SA-105N	1 1/2 Inch ,Rating 300,Length 180mm ,R.F. L.W.N.	1	6.11	#1		
37	E326-MR-313	FLANGE	SA-105N	1 1/2 Inch ,Rating 300,Length 190mm ,R.F. L.W.N.	4	25.28	#1		
38	E326-MR-313	FLANGE	SA105N+HACE MR0175ASO151556 HIC&SSC RESISTANT	3/4 Inch ,Rating 300,Length 185mm ,R.F. L.W.N.	2	6.38	#1		
39	E326-MR-313	FLANGE	SA105N+HACE MR0175ASO151556 HIC&SSC RESISTANT	3/4 Inch ,Rating 300,Length 200mm ,R.F. L.W.N.	2	6.74	#1		
40	E326-MR-313	FLANGE	SA105N+HACE MR0175ASO151556 HIC&SSC RESISTANT	1 Inch ,Rating 300,Length 200mm ,R.F. L.W.N.	4	16.28	#1		
41	E326-MR-313	FLANGE	SA105N+HACE MR0175ASO151556 HIC&SSC RESISTANT	1 1/2 Inch ,Rating 300,Length 200mm ,R.F. L.W.N.	2	13.06	#1		
42	E326-MR-314	Standard Flanges	SA-182 GR.F5	3/4" CL300 LWNRF L=235	1	3.79	#1		
43	E326-MR-314	Standard Flanges	SA-182 GR.F5	1" CL300 LWNRF L=265	2	9.96	#1		
44	E326-MR-314	Standard Flanges	SA-182 GR.F5	1 1/2" CL300 LWNRF L=240	1	7.38	#1		
45	E326-MR-313	FLANGE	SA105N+HACE MR0175ASO151556 HIC&SSC RESISTANT	1 1/2 Inch ,Rating 300,Length 185mm ,R.F. L.W.N.	2	12.42	#1		
46	E326-MR-313	FLANGE	SA-105N	12 Inch ,Rating 300,R.F. Sch 60,W.N.	4	276.00	#43		
47	E326-MR-313	FLANGE	SA-105N	14 Inch ,Rating 300,R.F. Thk.14,W.N.	4	386.72	#44		
48	E326-MR-313	FLANGE	SA105N+HACE MR0175ASO151556 HIC&SSC RESISTANT	14 Inch ,Rating 300,R.F. Thk.18,W.N.	2	202.50	#45	1087.72	0.728
49	E326-MR-209	FLANGE	SA105N+HACE MR0175ASO151556 HIC&SSC RESISTANT	14 Inch ,Rating 300,R.F. Thk.18,W.N.	2	202.50	#46		
50	E326-MR-209	FLANGE	SA-105N	10 Inch ,Rating 300,R.F. Sch 60,W.N.	24	1111.20	#44	1131.20	0.685
51	E326-MR-105	FLANGE	SA105N	10 Inch ,Rating 300,R.F. Sch 80,W.N.	2	96.00			
52	E326-MR-209	FLANGE	SA-105N	10 Inch ,Rating 150,R.F. Sch 60,W.N.	4	114.80			
53	E326-MR-209	FLANGE	SA-105N	12 Inch ,Rating 300,R.F. Sch 80,W.N.	2	144.00			
54	E326-MR-313	FLANGE	SA-105N	10 Inch ,Rating 300,R.F. Sch 60,W.N.	10	463.00	#45	1042.72	0.587
55	E326-MR-313	FLANGE	SA-105N	10 Inch ,Rating 300,R.F. Sch 100,W.N.	2	100.40			
56	E326-MR-313	FLANGE	SA105N+HACE MR0175ASO151556 HIC&SSC RESISTANT	10 Inch ,Rating 300,R.F. Sch 120,W.N.	2	104.52			
57	E326-MR-313	FLANGE	SA-105N	3 Inch ,Rating 300,R.F. Sch 160,W.N.	2	16.40	#46		
58	E326-MR-313	FLANGE	SA-105N	4 Inch ,Rating 300,R.F. Sch 120,W.N.	2	26.08	#46		
59	E326-MR-313	FLANGE	SA-105N	8 Inch ,Rating 300,R.F. Sch 80,W.N.	2	66.00	#46		
60	E326-MR-313	FLANGE	SA-105N	8 Inch ,Rating 300,R.F. Sch 100,W.N.	2	68.40	#46		
61	E326-MR-105	FLANGE	SA105N	4 Inch ,Rating 150,R.F. Sch 120,W.N.	2	16.60	#46		
62	E326-MR-105	FLANGE	SA105N	6 Inch ,Rating 300,R.F. Sch 120,W.N.	4	92.00	#46		
63	E326-MR-105	FLANGE	SA105N	8 Inch ,Rating 300,R.F. Sch 100,W.N.	4	136.80	#46		
64	E326-MR-105	FLANGE	SA105N+HACE MR0175ASO151556 HIC&SSC RESISTANT	3 Inch ,Rating 300,R.F. Sch XXS,W.N.	2	17.26	#46		
65	E326-MR-105	FLANGE	SA105N+HACE MR0175ASO151556 HIC&SSC RESISTANT	8 Inch ,Rating 150,R.F. Sch 100,W.N.	2	42.80	#46		
66	E326-MR-106	FLANGE	SA-105N	1 1/2 Inch ,Rating 300,R.F. BLIND	20	53.60	#46		
67	E326-MR-106	FLANGE	SA105N+HACE MR0175ASO151556 HIC&SSC RESISTANT	1 1/2 Inch ,Rating 300,R.F. BL	2	5.36	#46	856.56	0.551
68	E326-MR-209	FLANGE	SA-105N	1 Inch ,Rating 300,R.F. Sch XXS,W.N.	4	7.32	#46		
69	E326-MR-209	FLANGE	SA-105N	3 Inch ,Rating 150,R.F. Sch 160,W.N.	2	12.00	#46		
70	E326-MR-209	FLANGE	SA-105N	4 Inch ,Rating 150,R.F. Sch 120,W.N.	2	17.64	#46		
71	E326-MR-209	FLANGE	SA-105N	6 Inch ,Rating 150,R.F. Sch 80,W.N.	4	50.40	#46		
72	E326-MR-210	FLANGE	SA-105N	1 1/2 Inch ,Rating 300,R.F. BLIND	28	75.04	#46		
73	E326-MR-210	FLANGE	SA105N+HACE MR0175ASO151556 HIC&SSC RESISTANT	1 1/2 Inch ,Rating 300,R.F. BLIND	2	5.36	#46		
74	E326-MR-315	FLANGE	SA-105N	1 1/2 Inch ,Rating 300,R.F. BLIND	26	69.68	#46		
75	E326-MR-315	FLANGE	SA105N+HACE MR0175ASO151556 HIC&SSC RESISTANT	1 1/2 Inch ,Rating 300,R.F. BL	4	10.72	#46		
76	E326-MR-314	Standard Flanges	SA-182 GR.F5	6" CL300 WNRFF S120	2	46.00	#46		

ITEM 16: SHELL TUBE

Item	PRO.NO	Description	Standard/ Grade	Specification	Order Qty		BOX NO.	Gross Weight	Volume
					PCS	kg			
77	E326-MR-316	Standard Flanges	SA-182 GR.F5	3/4" 300# BLRF	1	1.10	#46		
78	E326-MR-414	FORGED RING	SA266 Gr.2N	Φ455*Φ304.8*86	1	40.33	#48		
79	E326-MR-414	FORGED RING	SA-350 LF2 CL.1N	Φ455*Φ304.8*86	1	40.33	#48		
80	E326-MR-414	FORGED RING	SA266 Gr.2N	Φ320*Φ156*51.6	2	49.70	#48		
81	E326-MR-414	FORGED RING	SA266 Gr.2N	Φ320*ID185*33.6	2	28.26	#48		
82	E326-MR-414	FORGED RING	SA 105N	Φ238*105	2	13.58	#48		
83	E326-MR-414	FORGED RING	SA-350 LF2 CL.1N+HIC&SSC+NACE MR0175ASO.15156	Φ330*Φ209*64	2	46.94	#48		
84	E326-MR-414	FORGED RING	SA-350 LF2 CL.1N+HIC&SSC+NACE MR0175ASO.15156	Φ330*Φ198.48*71	2	38.96	#48		
85	E326-MR-414	FORGED RING	SA266 Gr.2N	Φ220*Φ66.64*76	2	26.74	#48		
86	E326-MR-414	FORGED RING	SA266 Gr.2N	Φ550*Φ400*86	1	52.62	#48		
87	E326-MR-414	FORGED RING	SA266 Gr.2N	Φ580*Φ440*84	2	100.06	#48		
88	E326-MR-414	FORGED RING	SA266 Gr.2N	Φ580*Φ440*84	2	100.06	#48		
89	E326-MR-414	FORGED RING	SA266 Gr.2N	Φ580*Φ440*91	2	111.22	#48		
90	E326-MR-414	FORGED RING	SA266 Gr.2N	Φ520*Φ401*53	2	68.84	#48		
91	E326-MR-414	FORGED RING	SA266 Gr.2N	Φ527*Φ401	2	85.14	#48		
92	E326-MR-106	FLANGE	SA-105N	3/4 Inch ,Rating 300,R.F. BLIND	19	22.04	#48		
93	E326-MR-106	FLANGE	SA105N+NACE MR0175ASO15156 HIC&SSC RESISTANT	3/4 Inch ,Rating 150,R.F. BL	1	0.63	#48		
94	E326-MR-106	FLANGE	SA105N+NACE MR0175ASO15156 HIC&SSC RESISTANT	3/4 Inch ,Rating 300,R.F. BLIND	3	3.48	#48		
95	E326-MR-106	FLANGE	SA105N+NACE MR0175ASO15156 HIC&SSC RESISTANT	1 Inch ,Rating 150,R.F. BLIND	2	1.88	#48		
96	E326-MR-106	FLANGE	SA105N+NACE MR0175ASO15156 HIC&SSC RESISTANT	1 Inch ,Rating 300,R.F. BLIND	2	2.84	#48		
97	E326-MR-210	FLANGE	SA-105N	3/4 Inch ,Rating 300,R.F. BLIND	24	27.84	#48		
98	E326-MR-210	FLANGE	SA-105N	1 Inch ,Rating 300,R.F. BLIND	12	17.04	#48		
99	E326-MR-210	FLANGE	SA-105N	1 Inch ,Rating 150,R.F. BLIND	6	5.64	#48		
100	E326-MR-210	FLANGE	SA105N+NACE MR0175ASO15156 HIC &SSC RESISTANT	3/4 Inch ,Rating 300,R.F. BLIND	2	2.32	#48		
101	E326-MR-210	FLANGE	SA105N+NACE MR0175ASO15156 HIC &SSC RESISTANT	1 Inch ,Rating 300,R.F. BLIND	2	2.84	#48		
102	E326-MR-315	FLANGE	SA-105N	3/4 Inch ,Rating 300,R.F. BLIND	28	32.48	#48		
103	E326-MR-315	FLANGE	SA105N+NACE MR0175ASO15156 HIC &SSC RESISTANT	3/4 Inch ,Rating 300,R.F. BL	4	4.64	#48		
104	E326-MR-315	FLANGE	SA105N+NACE MR0175ASO15156 HIC &SSC RESISTANT	1 Inch ,Rating 300,R.F. BL	4	5.68	#48		
105	E326-MR-316	Standard Flanges	SA-182 GR.F5	1" 300# BLRF	2	2.80	#48		
106	E326-MR-316	Standard Flanges	SA-182 GR.F5	1 1/2" 300# BLRF	1	2.73	#48		
nearest airport/seaport info required TIANJIN China									
Net Weight (kg)					5625.210				
Gross Weight (Kg)					5745.210				
Package(s)					6				
Volume (CBM)					4.115				

FGS GLOBAL AB
NORRLANDSGATAN 16. PLAN2,
111 43 STOCKHOLM/SWEDEN
TEL: +46 70 754 19 21, FAX: +46 10 150 3539
EMAIL: FREDRIK.SYNNERSTAD@FGSAB.SE
CEO, FREDRIK SYNNERSTAD



1. Exporter ZHANGJIAGANG HAOHUA INDUSTRY PIPE CO., LTD VIA FGS GLOBAL AB NORRLANDSGATAM 16. SE-111 43 STOCKHOLM SWEDEN TEL: +46 70 754 19 21 ***		Serial No. CCPIT313 2002280505 Certificate No. 20C3205A1583/00067  		CERTIFICATE OF ORIGIN OF THE PEOPLE'S REPUBLIC OF CHINA		
2. Consignee TO THE ORDER OF BANK OF INDUSTRY AND MINE, IRAN NOTIFY PARTY: SOUTHERN ADISH GAS CONDENSATE REFINERY COMPANY NO. 44, KARANEH ST., VALIASR ST. P.O.BOX: 1966844113 TEHRAN/ IRAN TEL: +98 21 26216035 FAX: +98 21 26216034		5. For certifying authority use only CHINA COUNCIL FOR THE PROMOTION OF INTERNATIONAL TRADE IS CHINA CHAMBER OF INTERNATIONAL COMMERCE				
3. Means of transport and route FROM SHANGHAI CHINA TO ASALOYEH SEA PORT IRAN VIA BANDAR ABBAS SH. RAJAEI IRAN BY SEA		4. Country / region of destination IRAN				
6. Marks and numbers PROJECT NO: E326 MADE IN CHINA		7. Number and kind of packages; description of goods SIX (6) PACKAGES OF FLANGE CUSTOMS TARIFF: 84196000 L/C NO. TMB/96109363 AND REG. NO. OF: 44142357 INSURANCE CO'S NAME OF: BIMEH NOVIN FAX NO.: +02122258049-52, POLICY NO: 96/02/99/8055/20067 44 P/I NO.: ADISH-006, DATED 2018-03-04 CARGO TRANSIT TO ASALOYEH SEA PORT PARS SPECIAL ENERGY AND ECONOMIC ZONE, PERSIAN GULF, I.R. OF IRAN VIA BANDAR ABBAS SH. RAJAEI BY SHAHOO TARABAR PARS CO. ***		8. H.S.Code 84196000	9. Quantity G. WEIGHT 5745.21KGS	10. Number and date of invoices HHX24092019-E32 6-FLANGE APR.08.2020
11. Declaration by the exporter The undersigned hereby declares that the above details and statements are correct, that all the goods were produced in China and that they comply with the Rules of Origin of the People's Republic of China.  		12. Certification It is hereby certified that the declaration by the exporter is correct.  				
ZHANGJIAGANG, CHINA JUL.03.2020 Place and date, signature and stamp of authorized signatory		ZHANGJIAGANG, CHINA JUL.03.2020 Place and date, signature and stamp of certifying authority				

الف: گمرک ورودی		۱. اظهارنامه مناطق آزاد		 287278 ۲۸۷۲۷۸-زمینی پروانه منطقه آزاد-کالاهای همراه مسافر
سازمان منط	کد گمرک	۳. برگه	۴. فهرست	
سازمان منطقه ویژه اقتصادی	شماره ثبت (کوتاز)	۱	۱	
انرژی پارس	تاریخ	۵. اقلام	۶. عت بسته	
۱۴۰۲-۰۷-۲۰-۱۱-۲۱	۷. عطف	۱	۶.۰	
شس بایگانی:		مانیفست: ۲۲۲۲۲۲۲۲۲۲-۲۲ TICKETMANIFEST		
۹. مسئول تسویه مالی (صاحب کالا)				۸. گیرنده:
۱۱. کد اجزا ارزش		۱۰. اجزا ارزش ۲		شرکت پالایش میعانات گازی آدیش جنوبی، آدرس: اظهارنامه، تلفن:
۱۶. کشور صادرکننده CN		۱۵. کشور مبدا CN		۱۴. نماینده اظهارکننده:
۱۲. شس بارنامه: ANB4566207bah		۱۷. کشور طرف معامله CN		، آدرس: تلفن: حق العمل کار: ، آدرس: تلفن:
۲۰. شرایط تحویل CFR		۱۹. ک: IR		۱۸. هویت و ملیت وسیله حمل در ورود: ایرانی
۲۲. ارز و مبلغ کل فاکتور:		۲۳. نرخ ارز:		۲۱. هویت و ملیت وسیله حمل در عبور از مرز
۲۴. نوع معامله		۲۲. ارز و مبلغ کل فاکتور:		
ماشین آلات خط تولید و مواد اولیه		۲۲. ارز و مبلغ کل فاکتور:		XX
۲۸. اطلاعات مالی و بانکی، کد بانک:		۲۷. محل تخلیه/کد استان		۲۵. نوع حمل
شرایط پرداخت:		۲۶. کد حمل		زمینی
نام بانک: سیستم بانکی		۳۰. محل ارزیابی کالا		۲۹. گمرک خروجی
شعبه: شماره اعتباری اسنادی:		ZONE_A-۷۸۱۰۱		۷۸۱۰۱-۷۸۱۰۱
۳۲. ش ق ۱		۳۱. کد ثبت سفارش:		۳۱. کد ثبت سفارش:
۳۳. کشور سازنده CN		نوع برند: بدون برند		بسته
۳۵. وزن ناخالص ۵۷۴۵.۲		مدل کالا: فاقد مدل		ها و
۳۸. وزن خالص ۵۷۴۵.۲		نوع بسته: نگله		شرح
۴۲. ارزش قلم کالا		۴۵۶۶۳۰۷		کالا
۴۳. کدر		۲۵۶۷۹		
۲۱۳۸۱.۳۴		۶.۰		
۴۵. نرخ تعدیل		نرخ حقوق		۴۴. درصد تخفیف: ۰ - ۰ + ۰ + ۱ + ۱
۴۶. ارزش گمرکی قلم کالا		استاد ضمیمه:		اضافه
۱۰۶۵۱۹۶۹۷۹.۴۶۰		استاد		استاد
۴۹. اطلاعات انبار		۴۸. کد حساب اعتباری		محاسبه نوع
شرح حسابداری		۰.۰		۴۱. حقوق
نحوه پرداخت:		۰.۰		۴۲. ۰.۰
شماره ارزیابی:		۰.۰		۴۳. ۰.۰
شماره رسید:		۰.۰		۴۴. ۰.۰
مبلغ تضمین:		۰.۰		۴۵. ۰.۰
جمع هزینه های متفرقه		۰.۰		۴۶. ۰.۰
جمع عوارض دریافتی		۰.۰		۴۷. ۰.۰
ریال		۰.۰		۴۸. ۰.۰
ریال		۰.۰		۴۹. ۰.۰
		۰.۰		جمع